

Name	Title	Affiliation	Email	Phone
SAN NICOLAS, PETER	SCHAIDE TIT		Pran_newlas@outlook.com	1671) 747-6501
John P. Charqualat	Cust.			
Vincent T. Wededay	SCHOOL Aide III		Untineded of a grait	828.864/(W) 734-2911(w) 764-7726(C)
Suphanic Martiner	Admin Asst.		Spmartinii e gdoe net	186-8269-300-6742
KORRIEN	Admin Agg		Kmo'bnen Qadoe rut	193-782 * 727-7834
Berally Son Agestin	principal		bearagus to 6 golec. not	300-6742
John Castro	Asst. Principal		scretro @ gdoe . net	300-4647
Darbne Castro	Principal		olccastro @ gabe. not	300-4461
Johansen Purronglangan	Asst Principal		JKpunongbayan@gdoz.net	646-5046
Duane Napati	Building Custodian			646-8058
Parrick J- Castro	Curtodian		Plastro agdoe net	
Clane Arcie	Enton how !!		CKAMEW @ golve. rufi	472-8040
Sarah Valencia	AP		Swalencia e adoe ret	689-4639
Sophelyan	AD .		Stlyan egdol net	134-2159
Uniper AEREMIY	Custatolian		U	734-2159
Adrian Cruz	7			646-5046
Biliano Luctime	Custodian			
Aerbergon Joseph	Al		acijosephag Joenes	653-0404
CAPPERA, JOHNE	ASST. PEHAPALOLPME	500 TWO - 3 TO S	jacabremigbe net	300-2726

DPHSS, Division of Environmental Health, School Sanitation Building Pilot Program Presentation 12/14/2015 at Tiyan, Building A

Name	Title	Affiliation	Email	Phone
Burro, Patrick	School Aide		the - King mufaca D, hot mail.com	4822922
Joseph V. Castro	School Aife III	Marcial A. Sablan	hammer 16490 me. com	787-9593
Cheryl Gurnabon	Admin oppress	Oceanview	claunaban@adoenet	DU52961
Amy Charqualat	Clerk	Astumbo Alem.	agalforque @ gelse.net	727-3552
Elya, TTEISMIC D	Asse Pargo	MULES	ettaisine gobe. not	777-5950
Jeunette Superals	John Assistant	Attes	Insperales@gdoe.net	477-8040
JOHN HEANMOEZ	SCHOOL AIDE	Lioun Elen	jehernandez@gdoc.net	300-1680
Datnick Castro	School-Aide	Liquan Elem.	pccastro@gdoe.net	300-1680
Hisaboth Hansek	Asst. Principal	FOLG Middle	ethanzsek (a) gdoe. ne	
	Custodial Superviso	r FBLG	JWHELEZ C gdus. nut	727-7761
MARITES D.L. GARCIA	Asst. Principal	JM GHERRED ES	macgarcia@gdoe.net	U88-7407
Alfred Guerren	Admin Asst	B.P. Carbulledo	arcquerrero D gdoe net	797-6239
20000			3	
	-			
				621

DPHSS, Division of Environmental Health, School Sanitation Building Pilot Program Presentation 12/14/2015 at Tiyan, Building A


Name	Title	Affiliation	Email	Phone
DEMIRE JAIMANALO	AP	GDOE-Price	datamanalo e aute-net	7342159
TRKIR MOYLAN	PRINCIPAL	OUPES	thmoyland aloe net	477-9645
Rey Villater	Teacher	UDUE	revillaflor a gove net	482-1861
Greary Perez	Teacher	SSHS	agperez e a doe net	1864-1061
Gerardo Gra 5	Asst. Prival 2	AMS	appropriate and acidoe net	20026/0
Jesse Pondon	PCIT	JPTSA	gegalang agoloe, net Jesse. penden o governet	565 5291
			0	
3			5 19 1	


DPHSS, Division of Environmental Health, School Building Sanitation/Pilot Program Presentation 12/21/2015 at Tiyan, Building C

Name	Title	School/Affiliation	Email	Phone
Vernin Par	Building Maintenna	Meria elem.	Vannonpair & GDOK - NET	928 9931 /200-222
Marissa Ouetro	Adm Ast	Pclijan	macastro & gale- net	734347 62905
John Ross Cruz	School Aide 1	Truman	john. T. Cruz agdoe net	689-0947
Lorenzo Barcinas	School Aide 1	Price Flem.	7	734-2159
Manolito Molinos	School Aide 3	GWHS	mrmolines@gdce.net	734-2911/482-0576
CHRISTOPHEN CHMACHO	SCHOOL AIDE TH	L.P. UNTACANI	CUUCAMALHUR GLOC NET	735-3110 / 735-3R/
Bens verte longed	achorel Hidell	Sip. Jower	ron bonsunt @gdoz not	727 1482,
TEPALOINE C- UNENAS	JOHNOL AIDE	I.E.S.	duenasjawk @gmail-com	777-4479
ACE TANAYAN	AA	CPES	adtanayan@gdoe.net	477-9645
RON VERGARA	SCHOOL ALDE	BMS	rfvergara egdoe. net	686 · 1147
Reter San Nicolas	School Aidell		Peter Sannic & Gmail	777-7212
Lite Babafa	Admin Asst.	Price Elem	rfcbabauta @ gdoenet	734-2159
N				
		12.12.12		
	-2		And the second second	


DPHSS, Division of Environmental Health, School Building Sanitation/Pilot Program Presentation 12/21/2015 at Tiyan, Building C

Name	Title	School/Affiliation	Email	Phone
Jessica Chaco	Clerk Typist II	UPI ES	jachaw@gdoe.net	633-1382
Alving Lynn G. Toves	clork Typist 1	Machananao	alstones @adoc.inet	4554981
Evangeline C. Perez	Administrative Asst	Finegayan Elem.	e cpereta gloe. net	632-9361
Raymond J. D. Borg	School-Aide III	WES	NIA	727-8284
Tudela Mvin C.	custo dain	SHS	WA	987-1057
Jesus T. Quin4th	school Aide	Om5		489-2217
Vonnett. Duenas	9ch. AiDE II	MAUES	Iduanas (a) ache-Not	4871963
V. ACOSTA	AO	DKKODO HIGH	vincosta a galocinet	635-1176
C Appellido	SCh. AIDE I	JMGNERREW		632. KYO
Mantanona Lena	Sch. Pick III	JOSMES	15 mantanona@gdoe.net	477-9370
Joshua Arces	sch. aicle	cames		487-6184
Ramen Quistall	i & Deler	M.A. S. E.	mainte Castadi	a ONOM
Eric & gurtos	Sch. Albe	TAMES		878-5431
		Electrical Page		
				A CONTRACT OF THE CONTRACT OF


















































































































































Prevention Measures and Solutions Discontinue the use of any room that cannot be maintained at a constant temperature of 84°F or below Remove students from the room and transfer them to another classroom that compiles with requirement Utilize room only when the coom can remain the appropriate temperature (I.e., only in the mornings) Install appropriately sized/type of vent system in rooms Keep A/C turned on to retain cool temperature Follow the factory recommended maintenance schedule of any mechanical device to ensure continued operation















































































Prevention Measures and Solutions Use soly respect that was begged soap not reading a Material S. Plastic Paper lowed disposace. Material S. Plastic Paper lowed disposace. Was eap paid and residues, and la leaks. For a temporary solidion, provide commerced pasts postable handwashing and solidion, provide an immediately outside the instrument that are of adultional to member and readily accessable to students. Use the Wain Paper are, Replace Permove. Demography frostony sides and dependent in reshoon is and classicions. Assign an inclusional to conclude traspection restricts of all residence desires an early half how deep a story clanding see assigned how to break past a very half how deep a story clanding see assigned how to break past a very half how deep a story clanding see assigned how to break past a very half how deep a story clanding.

























Toilet/Urinal Ratio Classroom toilet may be counted to meet ration requirement but: Single sex use only Must be available for use by ALL students, even during class time Must have soap, paper lowel dispenser, sink Counting toilet as urinal Case by case






















Section 15: Food Protection


• Facility storing, preparing, and serving food (i.e., cafeteria) regulated by the Guam Food Code


• Dining areas used as multipurpose rooms should be monitored and follow both the Guam Food Code and school building regulations






































































School Building Sanitation Pilot
Assessment


• All six schools were significantly over the 40 denierit points at the time of the assessments
• Over 3.000 observed deficiencies collectively
• Multiple critical violations
• Most observed deficiencies
• Walls and Ceilings
• Floors
• Toilet Facilities
• Exits
• Ventilation




Reasons for Chronic
Conditions

• Lack of awareness of the issues and the regulations
• Limited resources and staff
• Short-lived solutions
• Reactive vs. proactive response
• Identifying the responsibility to resolve the issues







Community Engagement


It takes a village to raise a child. Integrating the community into the school improvement process will allow the school to gain an army of volunteers equipped with specialties that may not be available otherwise.


Expanding Adopt-a-School Program to a year-round program

Developing an Adopt-a Wing Program for local organizations and business

School Sanitation Donation List








DPHSS, Division of Environmental Health, School Sanitation Building Pilot Program Presentation

9/15/2015 at Divison of Senior Citizens

Name	Title	Affiliation	Email	Phone
Ugife Baradi	EPHI (1)	DPHSV DEH	gaile barydiadphu guam gov	135-7502
Tom Nadeau	Chief EPHO	SPHS DEH	mosetomo. nadeau ogniss gu	m.gov 73572×1
Rosanna Rabago	EPHO Administrat	n DPHSS DEA	rosanna. rabagaragphss. gov	
Marilon Scroggs	EPITO Administrator	- BPHSS DEA	Manlou schogs odphs gram,	735 7221
JINGILLAN	DIROTTER	DPASS	30 1 2	735-7101
P.A. ADA	Chairman	GDOE		482-7776
hourdes SAN Nicora	ViceChair GEB		/bsannicolas@gdoe. net	482-4357
Jose & mar	Men how, GEB	300/233	jong conzagloe, met	864-9705
K. P. Clarriay	Mony GES	Dos	KDeheraly agrae no	77-3100
Jon Fernandez)	Superintardent GI	06	jonformandek@gdoe.net	380-1547
V		6	3 , ,	
		1,0000 - 1 to 9 1 - 1 20 1 1 0 1 0 1 0 0 0 0 0 0 0 0 0 0 0		
		- Parkers		

GDOE, BOORD of Education



SCHOOL INSPECTIONS BY DEH

- Division of Environmental Health (DEH) authorized to inspect schools for sanitation
 Public and private schools
- DEH actively began inspecting schools in 2007
 Including cafeterias
- Numerous violations found in public schools
 Poor sanitation
 - o Lack of maintenance
- Critical requirements neglected Restrooms

SCHOOL TASK FORCES ESTABLISHED

- o GPSS Health and Safety Task Force
- Established in early 2008 by the Office of the Attorney General (OAG)
- To address health, sanitary, and safety issues of Guam's public schools
- Comprised of OAG, DEH-DPHSS, GFD, and GEPA
- Office of the Adequate Education Suruhanu (OES) Task Force
 - OES established by PL 29-41 in Oct 2007 but effectuated in late 2008
 - Operationally independent from Governor, Legislature, GDOE, and Board
 - DEH-DPHSS, GFD, and GEPA assists OES

SCHOOL TASK FORCES ESTABLISHED

con


- OAG Task Force (Part II)
- OES becomes part at OAG in Oct. 2010 per PL 30-196
- DEH-DPHSS GFD, and GEPA continues participation
- Repeat violations continued to be observed
- PL 31-183 abolishes the OES Feb. 2013

DEH-DPHSS PILOT PROJECT

- Though improved violations continued to be observed by DEH
 - DEH unable to sustain routine school inspections
- o DEH seeks alternative solution
 - Pro-active, community-based program
- April 2013, DEH submits proposal to CDC to host and mentor a Fellow
 - Community-based school sanitation project
- CDC approves proposal
- Public Health Prevention Services (PHPS) Fellow assigned to Guam

DELIA TIBBS - PHPS FELLOW

- Public Health Prevention Specialist
 - Non-permanent CDC employee
- a 3-year fellowship
- Expand public health mission: Apply public health principles in the development, implementation, and evaluation of public health programs: Be the public health managers of the future
- Two-year assignment on Guam to implement DEH's pilot project
 - Present project to DPHSS Director and GDOE Superintendent
















































































































Facilities & Maintenance

DPHSS, Division of Environmental Health, School Sanitation Building Pilot Program Presentation 9/17/2015 at Tiyan, Building A

Name	Title	Affiliation	Email	Phone
Yolanda Duenas	PCIL		ymduenas@qdoe.net	300-2466
EUNICE AFLAGUE	PCII		eiraflaque@ache.nc	- 300-2466
WARNER PONALD	PLUMBER SUP		rgwarner agdoe not	300-2474
MENNOW, ROWALD	MAINT. SUPERISON		mendrola@gdoe.net	300-2473
MANNY DOMINGO	BLOG. MANT. SUDV		Mudoning D. GDOE. NET	300-2466
JEHN LEON GUERREPO			iv konguerre Ro Egde n	of 300-24108
	BODG, MAINT SUPV		FMROGH & GOVE. WET	300-2474
Lerry J. Gluintamilla	CAMPAITER -I		liquintamilla QGDOV. MAT	300-2476/78
JESSE ESPINAL	ADMIN ASSISTANT		jbespiral wydoe.net	300-2467
	BULLY MAILY SURY		CTCCEUDENBEIDE NET	3000.2418
Talmes Tarpus	DSFAS		Intentano store ret	700 155b
EDWW WAN GLOWA	WHS SPV		stmanglonurgdoe.net	300-2475
			3 03	
THE STORY OF THE STATE STATE OF THE STATE OF				







































































































































6/29/2016

































































Common Prevention Measures, Recommendations, and Solutions

- Use the 3Rs Repair. Replace, Remove
 Cardon off area
 Use a monitoring system
 Follow-up
 Procure measuring device for self assorsment
 Environmental Meler
 Commercial/industrial grade equipment



6/29/2016







































6/29/2016























Purpose: To develop alternative solutions to addressing compliance issues, focusing on a partnership of mutual reliance with the involvement of internal and external community stakeholders


School Building Sanitation Pilot
Assessment

All six schools were significantly over the 40 dement points at the time of the assessments
Over 3.000 observed deficiencies collectively
Multiple critical violations
Most observed deficiencies
Walls and Cellings
Floors
Tollet Facilities
Exils
Section 1.









For questions regarding school building sanitation, please contact:
Claire Baradi
735-7502
claire.baradia dphss.guam.gov

Community Support School Maintenance Pilot Program Meeting
Refres her: School Scifely Lianan Training, BUMS July 11, 2016

Name	Title	Affiliation	Email	Phone
Vincent T. Nededay	School Aide 14	auts	umodedo a gove net	864-2226
Manny Molinos	School Ride 3	GWHS	mrmolinos el golee. net	482-0574
Ogphami Martin 2	Adhin Asst	MAVES	Spmurneza gobeent	0848269
Yvonue Durao	Schw/Mile	MAVES	Venducas @ gde . nut	4871963
Ryan Barcinas	school Aide	MAGES		486-1202
Adrian Craz	cust	DLP		653-2177
Praitano	Asst Principal	DLP		487-8087
P. SANNICOLAS	BRHL AIDETT	045	prannicolas@gdoe.net	300-1878
Lea Brandle,	conp. Op.	ATES	Lbbrandky	635-4363
Amy Charginley	Clerk	ATES	agalforgue agloe	(1
Don'd Suliv	Sch. AdeII	ATES	df sulio & doe net	11
alving Toves	Clerk	MES	alstores@ gdoe.ne	+
JUST AGCES.	school Aid ?	CBMS		487-6184
Estely V. Garrido	School Ardel	JP1415	ewarr. Lo Q gdoc. net	300 J333
ROW VERGARA	SA 1	BMS	rfvergara e goor-net	686-1147
Ace Tomayan	AA	OCPES	adtanayan@gdoeid	,
Riliano Luctinos	Rustalian	LBJ	1 14	646-5046
Marry Sin	Cut	INEHENGL		637-2962
BAY B	SCHOOL A'D	/ 1 /=		300-7770
Tenorio Mile.	Rendlus	MEG	hore	635-4381
,		STHE	nibures 6 a lie in al	1053-1313

Marian Lym

School aide AGI PRINCIPAL 8248 FBLA Moves@ adverner


653-2313 6 53 2080

Patrick Borro school Aide 1 Chief Brafie MES. 869 2020
HANNAHI GITIZUNA PRINCIPAL AHES
K.CBRIEN Admin Ast. WIES Knobinen@gdoe.net 633-1382

- 1

DPHSS, Division of Environmental Health, School Sanitation Building Pilot Program Presentation


K.OPRIEN	Admin Asof.	WIES	Kmo'bnen@adoe.nct	633-1382
Name	Title	Affiliation	Email	Phone A
Many Molinos	School Aide 3	GWHS	momolinos a glocinet	482-0574
Rephane Martinez	Adnu Asst	MAVES	Spinartniz agdve nit	UBU 8269
yvonne Dunas	School ande	MALES	Ymdienas e gdv. net	4871900
Lyan Barcinas	school Hide	JMGES		486-1202
Adrian Cruz	cust	D.LP		653-2177
P. Taitaro	Asst Principal	DLP		300-192
P. SANNICOLAS	Seul AIDE TIT	OHS	psannicolas Dadoe.ner	487 8087
lea Brantley	Comp. Op 1	HIES	Issian lego gose. rea	633-4761
Amy Chargualey		ATES	aga Horque legare.	"
David Suliv	School Ardi		of sulio algoe, net	11
alvina Toves	Clerk 1	MES	alstoves@gdoc.ret	
Chame Akcie	School TIL	AUTS	9	477-8040
Kun Usesula	Custochia	butes		477-8040
Just Asces	school and	CBMes		487.6184
Jan HERMADER	Sacon AIDE	LES		486-6639
Anyly H. Cepal	Principal	LES	Among 4.411.11	300-1680
John S. Castro	Asct. Drincipal	CLTES		300-1690
TEAT CHSTAD	- charl Tida	CEC		
is Girly	Dest Pung	AMS		
RON VERGARA	1 7 T	BMS	rfvergara.gdove.net	686-1147
AMISE TAIMANADE,	, AP	CLTrittan	datamangle@gde-net	7942159
Tarnisons alealt	#=	£ (y	·







































































































































































































Common Prevention Measures, Recommendations, and Solutions

- Use the 3Rs Repair, Replace, Remove
 Cardon off area
 Use a monitoring system
 Follow-up
 Procure measuring device for sell assessment
 Environmental Meter
 Commercial/Industrial grade equipment



